



**California Faucets®**


**Morro Bay™**

**1/2" PRESSURE BALANCE TRIM ONLY**

**Features**

- Screwless faceplate
- 7-1/4" round faceplate
- Less head, arm, flange and spout
- Over 30 finishes including 15 PVD finishes



**TO-PBL-77**




**Codes/Standards Applicable**

Product meets or exceeds the following:

- ASME A112.18.1/CSA B125.1
- ASSE 1016
- ADA compliant



ALL DIMENSIONS SHOWN TO NEAREST 1/16"



**A Division of  
California Faucets**

**Decorative Trim for Bath & Kitchen**  
info@calfaucets.com  
www.calfaucets.com

5231 Argosy Drive  
Huntington Beach, CA 92649

Tel: 714-891-7797  
Fax: 714-891-2478  
Toll Free: 800-822-8855

Fixture:

**SH-01**

Revision date: April 1, 2005

Date: October 1, 2004

Scale: None

Drawn by: William Linares  
william@calfaucets.com

Technical Supervisor: Joe Mainberger



California Faucets®

# Tub Spout

## CONTEMPORARY STYLE DIVERTER TUB SPOUT

9206




### Features

- Available in over 30 finishes including 11 PVD finishes
- All brass construction
- 6" spout reach
- 1/2" NPT inlet

### Codes/Standards Applicable

Specified model meets or exceeds the following:

- ASME A112.18.1/CSA B125.1



DIMENSIONS SHOWN TO NEAREST 1/16"



California Faucets®

# STYLEFLOW® AIR QUA

4-3/4" SINGLE FUNCTION CONTEMPORARY SHOWERHEAD


## Features

- 1/2" FIP inlet
- Air induction technology
- Single function showerhead
- Self cleaning rubber jets
- Solid brass pivot ball, ABS body
- 4-3/4" square finished face
- Replace .FR with desired max flow rate:  
SH-431.25 for 2.5 gpm  
SH-431.20 for 2.0 gpm  
SH-431.18 for 1.8 gpm  
SH-431.15 for 1.5 gpm

## Codes/Standards Applicable

Product meets or exceeds the following:

- ASME A112.18.1/CSA B125.1
- CEC (1.8 & 1.5 gpm)
- DOE (2.5, 2.0, 1.8, & 1.5 gpm)
- Commonwealth of MA
- EPA WaterSense (2.0, 1.8, & 1.5 gpm)



SH-431.25  
SH-431.20  
SH-431.18  
SH-431.15

