


2205 – ‘Pompadour’ Single Hole Lavatory Set



Part #	Description
01	Pompadour Spout - Ecobrass
02	Set Screw
03	Rubber O-Ring
04	Washer
05	Low Flow Restrictor
10	Spout O-Ring
11	Finished Spout Connector
12	Base - Ecobrass
13	Threaded Mounting Rod
13	Extended Threaded Mounting Rod
14	Deck Escutcheon
15	Flat Rubber Washer
16	Brass Horse Shoe
17	Brass Hex Nut
18	Pompadour Handle
19	Brass Screw
20	Nylon Separator
21	Handle Escutcheon
22	Rubber Horse Shoe Washer
23	1/2" Washer
25	12" X 3/8" Flexible Supply Hose & O-Ring
25	30" X 3/8" Flexible Supply Hose & O-Ring
85	1/2 Turn Ceramic Cartridge - Ecobrass

Technical Information

- NSF / ANSI 61 & 372 / ASME A112.18.1 / CSA B125.1 / CEC AB 1953 / WATER SENSE certified.
- Requires 1 1/4" hole drilling.
- 1/2 turn ceramic Flühs cartridges.
- Maximum flow rate is 1.2 GPM / 5.45 L / mn with low flow restrictor.
- Available finishes are French Weathered Brass (47), Polished Chrome (48), SoliBrass (49), Lacquered Matte Black Nickel (50), Old Gold (52), Old Silver (53), Polished Brass (55), Polished Nickel (56), Brushed Nickel (57), Satin Nickel (60), Antique Lacquered Copper (67), Antique Lacquered Brass (68), Weathered Brass (70), Lacquered Polished Black Nickel (71) and Lacquered Polished Copper (80).
- Please See Cleaning Instructions: <http://herbeau.com/CleaningAll.pdf> For Finish Care and Maintenance Information.




Please follow example when ordering parts for 'Pompadour' Lav. Set

- To order part#18 – Handle
 - 950035**xx**
- Please substitute finish number needed in place of **xx**



Herbeau®
L'Art du Sanitaire depuis 1857

2205 - 'Pompadour' Single Hole Lavatory Set



Hole Drilling = $1 \frac{1}{4}''$

