


3004 - 'Royale' Two Hole Set Wall Mounted



Technical Information

- NSF / ANSI 61 & 372 / ASME A112.18.1 / CSA B125.1 / CEC AB1953 / WATERSENSE certified.
- 1/2" female connections.
- Swiveling spout.
- Uses Flühs ceramic cartridges.
- Center holes adjustable 6" – 8".
- Maximum flow rate is 1.2 GPM / 5.45 L / mn with new low flow restrictor.
- Available finishes are French Weathered Brass (**47**), Polished Chrome (**48**), SoliBrass (**49**), Lacquered Matte Black Nickel (**50**), Old Gold (**52**), Old Silver (**53**), Polished Brass (**55**), Polished Nickel (**56**), Brushed Nickel (**57**), Satin Nickel (**60**), Antique Lacquered Copper (**67**), Antique Lacquered Brass (**68**), Weathered Brass (**70**), Lacquered Polished Black Nickel (**71**) and Lacquered Polished Copper (**80**).
- Please See Cleaning Instructions:
<http://herbeau.com/CleaningAll.pdf> For Finish Care and Maintenance Information.

Part #	Description
01	Top Knob
02	Finished Washer
03	Spout 6 3/4" – Ecobross
04	Aerator Washer
05	Aerator Filter
06	Aerator Cover
07	Sealing Screw
08	Spout O-Ring
09	Body – Ecobross
10	Bridge Union
11	1/2" Washer
16	1/2" Female Connector
17	Flat Rubber Washer
18	Escutcheon
19	Valve Body With Elbow – Ecobross
22	Bell Escutcheon
23	Handle Stem
24	Cross Handle
25	Washer
26	Handle Screw
27	Finished Insert Holder
28	Ceramic Insert - Hot/Cold
29	Rubber O-Ring
85	1/2 Turn Ceramic Cartridge – Ecobross
91	Royale Finished Ceramic Insert - Hot/Cold



U.P. Code
NSF-61/9-G
ASME A112.18.1/CSA B125.1



Certified by
NSF International


Please follow example when ordering parts for 'Royale' Two Hole Set

- To order part#22 – Bell Escutcheon
 - 950062xx
- Please substitute finish number needed in place of xx



Herbeau®
L'Art du Sanitaire depuis 1857

3004 - 'Royale' Two Hole Set Wall Mounted





3004 - 'Royale' Two Hole Set Wall Mounted

*990236 CARTRIDGES FOR FAUCETS MADE AFTER 2009.

*930011 CARTRIDGE GOOD FOR ALL YEARS

*P/N = PART NUMBER



○ = FINISHED PARTS

XX = TWO DIGIT FINISH CODE