3403 - 'Royale' Exposed Thermostatic Tub & Shower

Part#

46

47

48 49

50

52 53

54

55

56

57

58

59

60

61

62

63 64

65

Description
Cross Handle

Washer

Handle Screw

Finished Insert Holder

Black Logo Insert Rubber O-Ring

½ - ¾ Connector M-M

3/4-16 Finished Nut

3/4" Washer

3/4 - 1/2 Adapter M-M

1" X 1" Socket Adapter 3/4" Escutcheon

3/4" Washer


Thermostatic Body

With Cartridge

Finished Dial Plate Thermostat Stop Plate

Square Tube

Swivel Bushing Finished Scold Stop Kit



6 1/2"			66	Valve Connector
Technical Information	Part#	Description	68	Rubber O-Ring
 Technical Information 8" rose. Tub spout maximum flow rate is 5.38 GPM. 8" shower head maximum flow rate is 1.8 GPM with new low flow restrictor. Flow rates are based on use of ¾" supply lines and will vary depending on water pressure. Uses Flühs ceramic volume control cartridges. Integral shutoff valves. ¾" connections. 19 GPM @ 60 PSI (4 bars). Available finishes are French Weathered Brass (47), Polished Chrome (48), SoliBrass (49), Lacquered Matte Black Nickel (50), Old Gold (52), Old Silver (53), Polished Brass (55), Polished Nickel (56), Brushed Nickel (57), Satin Nickel (60), Antique Lacquered Copper (67), Antique Lacquered Brass (68), Weathered Brass (70), Lacquered Polished Black Nickel (71) and Lacquered Polished Copper (80). Please See Cleaning Instructions: http://herbeau.com/CleaningAll.pdf For Finish Care and Maintenance Information. 	Part# 01 02 03 05 16 20 21 22 23 25 30 31 32 34 35 36 38 39 40 42 43 44 45	Description Mounting Screw Kit Wall Mount Plate Mounting Set Screws 1/2" Washer Top Knob Finished Washer Shower Head Arm Head Swivel Kit Low Flow Restrictor Shower Head Rubber O-Ring Shower Arm Column Washer Finished Brass Nut Riser Pipe 1/2" Washer Finished Mounting Plate 1/2" Valve Body 1/2 Turn Ceramic Cartridge - Ecobrass Finished Screw Bell Escutcheon Handle Stem	68 69 70 71 72 73 78 79 90	Rubber O-Ring Spout Connector Tub Spout Valve Button Integral Stop Bell Escutcheon & Stem Slide Elbow Escutcheon Royale Finished Ceramic Insert Black Logo 3/4" Thermostatic Cartridge With Cover Plate
	l	I	l	1

<u>Please follow example when ordering parts for 'Royale' Exposed</u> <u>Thermostatic Tub & Shower Set</u>


• To order part#46 – Cross Handle

o 950064**xx**

• Please substitute finish number needed in place of XX



3403 - 'Royale' Exposed Thermostatic Tub & Shower Set



Copyright©2017 Herbeau Creations. All rights reserved. All product and specifications are subject to change without notice. Herbeau Creations is not responsible for typographical and/or dimensional errors. Typographical errors are subject to correction.

3403 - 'Royale' Exposed Thermostatic Tub & Shower Set *P/N 990236 FITS POST 9/2009 MODELS OF 3403 ONLY P/N 950057XX *P/N 930011 FITS ALL VERSIONS OF 3403 P/N 910035XX *P/N = PART NUMBER P/N 950226XX P/N 910034 P/N 990504 P/N 910020 - 31 P/N 950119XX-(23) P/N 950227XX P/N 910021 P/N 950230XX-(53) (35)-P/N 920032XX 36)-P/N 950115XX P/N 950128XX P/N 920027 P/N 920026 P/N 960016-2 78)-P/N 950183XX P/N 950184XX P/N 920024XX P/N 990355 OR P/N 910037 P/N 950174XX P/N 920027 P/N 950064XX P/N 920032XX P/N 950063XX -- P/N 910060 P/N 950062XX P/N 910025-16 P/N 990064XX P/N 950228XX-P/N 950120XX -P/N 950228XX P/N 970009 42 - P/N 990236 48 OR P/N 930011 P/N 920029 P/N 950169XX (61) P/N 950232XX (65) P/N 990119XX P/N 950064XX P/N 950240XX P/N 9900 P/N 950230XX P/N 950230XX-(53) P/N 950231XX-(60) P/N 930031XX P/N 910026 P/N 920064XX P/N 990355 P/N 990236 OR P/N 910037-OR P/N 930011 \$ P/N 910043 P/N 990036 P/N 960039-56 P/N 970009 P/N 950106XX (40)-P/N 950228XX P/N 960071 50 - P/N 970009 P/N 950062XX 52 - P/N 990036 68-P/N 910066 P/N 990064XX 69)-P/N 950238XX P/N 920029 P/N 950063XX 70)-P/N 950191XX Detail of valve P/N 950174XX P/N 950064XX 72 P/N 930028 = FINISHED PARTS XX = TWO DIGIT FINISH CODE

Copyright©2017 Herbeau Creations. All rights reserved. All product and specifications are subject to change without notice. Herbeau Creations is not responsible for typographical and/or dimensional errors. Typographical errors are subject to correction.